INTERNATIONAL PREMIUM LAMINATES™

ELEGANCE

Playground for Creativity

www.ipldecor.com

From The House Of

Durian®

Ask For

IS 2046 CM/L 7300112896 | ISO 14001 | ISO 9001 | CE | PPP

An ISO 9001 : 2015, ISO 14001 : 2015

CEDAR DECOR PVT. LTD

A-1 / 1001, 10th Floor, Palladium Corporate Road, Makarba, Ahmedabad-380015.
Gujarat, India
Ph: +91 (79) 2970 5335 / 6 / 7 Email:-mail@cedarindia.com

From The House Of Durian®

INTERNATIONAL PREMIUM LAMINATES™

1mm
INTERNATIONAL PAPER

INTERNATIONAL PREMIUM LAMINATES™

ELEGANCE

Playground for Creativity

www.ipldecor.com



1mm
INTERNATIONAL PAPER

From The House Of Durian®

Ask For

IS 2046 CM/L 7300112896 | ISO 14001 | ISO 9001 | CE | PPP

An ISO 9001 : 2015, ISO 14001 : 2015

www.ipldecor.com

ABOUT **US**

First Impression is the last impression." Inspired by this principal rule of the interior design industry. IPL started this state of the art facility for the manufacturing of Decorative High pressure Laminates. Decorative laminates are used to customize and beautify the surface of plywood and other base materials so as to suite the aesthetics and interiors of any given space.

We have also incorporated a 7-point Quality Control System to ensure that every single one of our laminate sheet goes through seven different quality control check points during its production period. Our consistent and strategic quality control system, all the way from raw material input level to finished goods level has accredited us with ISI 2046: 1995 certification. Our modern and E-governed management protocols has accredited us with the prestigious 150 9001: 2015 certifications. Our ability to minimize harmful effects on the environment and to achieve continual Improvement of our environment performance has enabled us to get certified with ISO 14001: 2015. Moreover, Laminates produced in our facility also meet the British European Standard BS EN 438 and the American NEMA LD3 standard.

Our facility has a state-of-art chemical plant, which manufactures resins in the production of laminates. Having a modern plant allows plant allows our R&D Team to experiment with innovative materials to produce quality resins that will that will stand the test of time.



INTERNATIONAL PREMIUM LAMINATES™

ELEGANCE

Playground for Creativity

www.ipldecor.com

FINISH INDEX

HIGH DEFINITION DIGITAL	01	BUR OAK (BO)	49
DUAL FLUTE (DF)	05	I' ORNATE (IO)	51
REAL OAK (i5)	09	ROCK KYANITE (RK)	52
FINE ASH (i6)	13	LANE HICKORY (LH)	53
TUNE ASH (i7)	17	HORIZONTAL OAK (HO HZ)	54
WOODS (SK)	20	VELVET ASH (VA)	55
WOODS (UV+)	23	NATURAL VENEER (NV)	56
NATURAL STONE (i8)	25	I' ART WORK (IA)	57
NATURAL STONE (UV+)	28	PALMS (PM)	57
CONCRETE (R1)	29	LUCKUR WOOD (LK)	58
CONCRETE (XT)	30	CANES MOZAMBIQUE (CM)	59
PASTELS (XT)	31	GROOVE ULTIMA (GU)	59
PASTELS (UV+)	33	PERSIAN WOOD (PW)	60
GABBRO ROCK (GR)	35	FRAXINUS (FX)	61
BARK NATURAL (BN HZ)	37	STONE (UV+)	63
ENGRAVED QUARTZ (EQ HZ)	41	STONE (SF)	64
METALLIC WOODS (EG++)	43	FANCY (UV+)	65
METALLIC EXTRA GLOSS (EG++)	47	WOODS (UV+)	66
		WOODS (SF)	71
		SOLIDS (SF)	77
		SOLIDS (UV+)	77

THE NEXT **BRILLIANT**



SUGGESTED MATCHING E3 EDGE BANDS

From The House Of Durian®

Ask For

CAPTIVATING

COMFORT

iPL INTERNATIONAL PREMIUM LAMINATES™

ELEGANCE


Playground for Creativity

www.ipldecor.com



360°

DOWNLOAD CATALOG



30x107 mm

873 XT
DARK GREY

30x107 mm

985 XT
CARAMEL

NEW

ID 75 XT - GOLD GROUTING

30x107 mm

985 XT
CARAMEL

30x107 mm

986 XT
BROWN HAZE




NEW

ID 76 XT - DELTA BLOCKS






FULL SHEET VIEW



FULL SHEET VIEW





30x107 mm

994 XT
TEAL

30x107 mm

858 SF
SLATE GREY

30x107 mm

992 XT
TERACOTTA

30x107 mm

991 XT
AUTUMN

ID 72 W1 - FOULARD




ID 71 R1 - PETRIFIED WOOD




FULL SHEET VIEW






FULL SHEET VIEW





NEW

154 DU - METALLIC GREY



NEW

153 DU - METALLIC WHITE

DUAL FLUTE

DU

iPL INTERNATIONAL PREMIUM LAMINATES

ELEGANCE



NEW

164 DU - METALLIC BEIGE




NEW

163 DU - METALLIC SEAL




NEW

152 DU - METALLIC COPPER



NEW

162 DU - METALLIC BLUE



NEW

409 i5 - TROPICAL OAK



NEW

407 i5 - WHITE OAK



NEW

408 i5 - GREY OAK



NEW

402 i5 - POLISHED WALNUT



NEW

401 i5 - RAW WALNUT



NEW

404 i6 - MONGOLIAN OAK



NEW

403 i6 - BRAZILIAN OAK



NEW

406 i6 - WATTLE JUGLANS



NEW

405 i6 - ENGLISH JUGLANS

TUNE ASH

i7

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



NEW

288 i7 - WASUM WALNUT



NEW

458 i7 - TACNA TEAK



NEW

287 i7 - WATERLOO WALNUT



NEW

289 i7 - WHARTHON WALNUT



INTERNATIONAL PREMIUM LAMINATES
ELEGANCE



NEW

407 SK - WHITE OAK



NEW

408 SK - GREY OAK



NEW

409 SK - TROPICAL OAK

WOODS
SK

iPL INTERNATIONAL PREMIUM LAMINATES ™
ELEGANCE



NEW

401 SK - RAW WALNUT




NEW

402 SK - POLISHED WALNUT



NEW

403 SK - BRAZILIAN OAK



NEW

404 SK - MONGOLIAN OAK



NEW

405 SK - ENGLISH JUGLANS




NEW

406 SK - WATTLE JUGLANS



407 UV+
WHITE OAK NEW



409 UV+
TROPICAL OAK NEW



408 UV+
GREY OAK NEW



403 UV+
BRAZILIAN OAK NEW



401 UV+
RAW WALNUT NEW



402 UV+
POLISHED WALNUT NEW





404 UV+
MONGOLIAN OAK NEW



406 UV+
WATTLE JUGLANS NEW



405 UV+
ENGLISH JUGLANS NEW



NEW

412 i8 - GREY CARRARA



NEW

410 i8 - ROSEGOLD CARRARA



NEW

411 i8 - GRACIOUS CARRARA



NEW

413 i8 - VENETIAN CARRARA



NATURAL STONE

UV+

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



NEW

412 UV+ - GREY CARRARA



NEW

411 UV+ - GRACIOUS CARRARA



NEW

410 UV+ - ROSEGOLD CARRARA



NEW

413 UV+ - VENETIAN CARRARA

CONCRETE
R1



NEW

415 R1 - CONCRETE IVORY



NEW

414 R1 - CONCRETE CHARCOAL

CONCRETE
XT

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



NEW


415 XT - CONCRETE IVORY




NEW

414 XT - CONCRETE CHARCOAL







829 XT
PABBLE STONE



985 XT
CARAMEL




991 XT
AUTUMN




984 XT
STONE GREY




873 XT
DARK GREY




996 XT
RASPBERRY




987 XT
ARMADILLO




986 XT
BROWN HAZE




993 XT
MOSS GREEN



995 XT
CELESTO



994 XT
TEAL



992 XT
TERACOTTA


PASTELS

UV+


www.ipldecor.com

INTERNATIONAL PREMIUM LAMINATES


ELEGANCE




984 UV+
STONE GREY




873 UV+
DARK GREY




996 UV+
RASPBERRY




829 UV+
PABBLE STONE




985 UV+
CARAMEL




991 UV+
AUTUMN




995 UV+
CELESTO




994 UV+
TEAL




992 UV+
TERACOTTA



987 UV+
ARMADILLO



986 UV+
BROWN HAZE



993 UV+
MOSS GREEN

GABBRO ROCK
GR



890 GR - PAINTED CONCRETE



891 GR - ASPHALT CONCRETE



849 GR - GREEK SLATE - 2



851 GR - GREEK SLATE - 1

BARK NATURAL

BN HZ



851 BN HZ - GREEK SLATE 1



849 BN HZ - GREEK SLATE 2



890 BN HZ - PAINTED CONCRETE



891 BN HZ - ASPHALT CONCRETE

BARK NATURAL

BN HZ

www.ipldecor.com

INTERNATIONAL PREMIUM LAMINATES

ELEGANCE



957 BN HZ - TROPICAL WOOD



449 BN HZ - BARAKI WALNUT



958 BN HZ - AMAZON WOOD



957 EQ HZ - TROPICAL WOOD




915 EQ HZ - CANADIAN PEAR



958 EQ HZ - AMAZON WOOD



890 EQ HZ - PAINTED CONCRETE



891 EQ HZ - ASPHALT CONCRETE




157 EG++ - GLORIOUS WALNUT



158 EG++ - GOLDEN TEAK



159 EG++ - RUSSET WALNUT



160 EG++ - AUSTRALIAN PINE

METALLIC EXTRA GLOSS

EG ++



151 EG++
METALLIC PURPLE



155 EG++
METALLIC GOLD




161 EG++
METALLIC CHERRY




152 EG++
METALLIC COPPER



156 EG++
METALLIC RUST



162 EG++
METALLIC BLUE



153 EG++ - METALLIC WHITE



154 EG++ - METALLIC GREY



163 EG++ - METALLIC SEAL



164 EG++ - METALLIC BEIGE

BUR OAK
BO



920 BO - TYROL PINE



957 BO - TROPICAL WOOD



959 BO - WHITE TYROL PINE




915 BO - CANADIAN PEAR

I' ORNATE

I'O



849 IO - GREEK SLATE 2



851 IO - GREEK SLATE 1

ROCK KYANITE

RK

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



967 RK - EUCALYPTUS WOOD



968 RK - BRAZIL WOOD

LANE HICKORY

LH



449 LH - BARAKI WALNUT



958 LH - AMAZON WOOD



969 LH - APPLEWOOD UK




970 LH - APPLEWOOD USA

HORIZONTAL OAK


HO HZ



236 HO HZ - WALES WALNUT



450 HO HZ - WHITBY WALNUT



452 HO HZ - WACO WALNUT



892 HO HZ - HICKORY WALNUT

VELVET ASH
VA



455 VA - CAEN CHESTNUT



453 VA - CATANIA CHESTNUT



449 VA - BARAKI WALNUT

NATURAL VENEER
NV

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE




915 NV - CANADIAN PEAR



916 NV - AMERICAN PEAR



957 NV - TROPICAL WOOD



958 NV - AMAZON WOOD

I' ART WORK
I'A



292 IA - CALVI CRAFTWOOD




293 IA - CAMDEN CRAFTWOOD

LUCKUR WOOD
LK



236 LK - WALES WALNUT



458 LK - TACNA TEAK

PALMS PM



451 PM - WALSALL WALNUT



855 PM - ALABASTER



449 LK - BARAKI WALNUT

CANES MOZAMBIQUE
CM



915 CM - CANADIAN PEAR



916 CM - AMERICAN PEAR

PERSIAN WOOD
PW



303 PW - BROWN IPE



914 PW - RED OAK

INTERNATIONAL PREMIUM LAMINATES
ELEGANCE

GROOVE ULTIMA GU



957 GU - TROPICAL WOOD

NEW



970 GU - APPLE WOOD USA



913 PW - NATURAL OAK



236 FX - WALES WALNUT



449 FX - BARAKI WALNUT



450 FX - WHITBY WALNUT



969 FX - APPLE WOOD UK



970 FX - APPLE WOOD USA

STONE
UV+

www.ipldecor.com



849 UV+ - GREEK SLATE 2



308 UV+ - ITALIAN MARBLE 1



890 UV+ - PAINTED CONCRETE



851 UV+ - GREEK SLATE 1



310 UV+ - ITALIAN MARBLE 3



891 UV+ - ASPHALT CONCRETE

STONE
SF

iPL INTERNATIONAL PREMIUM LAMINATES™
ELEGANCE



891 SF - ASPHALT CONCRETE



890 SF - PAINTED CONCRETE

FANCY
UV+




722 UV+ - WHITE FEATHER



721 UV+ - GREY FEATHER



459 UV+ - PHYLLITE SLATE



884 UV+ - ALPHA WAVES

WOODS
UV+

INTERNATIONAL PREMIUM LAMINATES
ELEGANCE



450 UV+ - WHITBY WALNUT



452 UV+ - WACO WALNUT



449 UV+ - BARAKI WALNUT



292 UV+ - CALVI CRAFTWOOD



293 UV+ - CAMDEN CRAFTWOOD

WOODS
UV+

www.ipldecor.com

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



957 UV+ - TROPICAL WOOD




958 UV+ - AMAZON WOOD




967 UV+ - EUCALYPTUS WOOD



968 UV+ - BRAZIL WOOD



969 UV+ - APPLE WOOD UK



970 UV+ - APPLE WOOD USA



915 UV+ - CANADIAN PEAR



236 UV+ - WALES WALNUT




959 UV+ - WHITE TYROL PINE



920 UV+ - TYROL PINE



287 UV+ - WATERLOO WALNUT



289 UV+ - WHARTHON WALNUT



237 UV+ - MALI MAHOGANY



238 UV+ - MARSHAL MAHOGANY



453 UV+ - CATANIA CHESTNUT



455 UV+ - CAEN CHESTNUT



303 UV+ - BROWN IPE



458 UV+ - TACNA TEAK



305 UV+ - EPIRUS ASHCUT



307 UV+ - ZADAR ASHCUT



287 SF - WATERLOO WALNUT



208 SF - VIETNAM WALNUT



303 SF - BROWN IPE



238 SF - MARSHAL MAHOGANY



288 SF - WASUM WALNUT



236 SF - WALES WALNUT



226 SF - SENGAL SUCUPIRA



289 SF - WHARTHON WALNUT



207 SF - VANUATU WALNUT



229 SF - SLOVANIA SUCUPIRA



237 SF - MALI MAHOGANY

WOODS
SF

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



968 SF - BRAZIL WOOD



967 SF - EUCALYPTUS WOOD



450 SF - WHITBY WALNUT



449 SF - BARAKI WALNUT



969 SF - APPLE WOOD UK



970 SF - APPLE WOOD USA



452 SF - WACO WALNUT



451 SF - WALSALL WALNUT



455 SF - CAEN CHESTNUT



453 SF - CATANIA CHESTNUT



307 SF - ZADAR ASHCUT



305 SF - EPIRUS ASHCUT

WOODS
SF

iPL INTERNATIONAL PREMIUM LAMINATES ELEGANCE



959 SF - WHITE TYROL PINE




920 SF - TYROL PINE



461 SF - HIGHLAND PINE



463 SF - BAGE BEIGE



957 SF - TROPICAL WOOD



958 SF - AMAZON WOOD



464 SF - BASEL BEECH



278 SF - NATURAL WENGE




892 SF - HICKORY WALNUT



893 SF - WALNUT LUMBER



458 SF - TACNA TEAK



277 SF - NAYANA TEAK

SOLIDS
SF

801 - SF
SUPER WHITE

803 - SF
FROSTY WHITE

805 - SF
LIGHT GREY

858 - SF
SLATE GREY

806 - SF
SUPER BLACK

FOIL

45001 - MT
SILVER FOIL

45003 - MT
BRONZE FOIL

ALL CORE

102D ALC / UV+
OFF WHITE

110D ALC / UV+
SUPER WHITE

SOLIDS UV+

801 - UV+
SUPER WHITE

803 - UV+
FROSTY WHITE

805 - UV+
LIGHT GREY

858 - UV+
SLATE GREY

SOLIDS
UV+

820 - UV+
NAGPUR ORANGE

821 - UV+
BRIGHT RED

823 - UV+
BURGUNDY

806 - UV+
SUPER BLACK

896 - UV+
YELLOW

853 - UV+
BUBBLE GUM PINK

826 - UV+
HOT PINK

845 - UV+
BLACK CURRANT

872 - UV+
LIGHT GREEN

809 - UV+
ARCTIC BLUE

834 - UV+
LAVISH BLUE

897 - UV+
PURPLE

INDEX

SR. NO.	DESIGN NO.	FINISH	PAGE NO.
DIGITAL			
01	ID 75	XT	01
06	ID 76	XT	02
09	ID 72	W1	03
12	ID 71	R1	04
CONVENTIONAL			
13	151	EG++	47
14	152	DU	08
15	152	EG++	47
16	153	DU	06
17	153	EG++	48
18	154	DU	05
19	154	EG++	48
20	155	EG++	47
21	156	EG++	47
22	157	EG++	43
23	158	EG++	44
24	159	EG++	45
25	160	EG++	46
26	161	EG++	47
27	162	DU	08
28	162	EG++	47
29	163	DU	07
30	163	EG++	48
31	164	DU	07
32	164	EG++	48
33	207	SF	71
34	208	SF	71
35	226	SF	72
36	229	SF	72
37	236	FX	61
38	236	HO HZ	54
39	236	LK	58
40	236	SF	71
41	236	UV+	68
42	237	SF	72
43	237	UV+	70
44	238	SF	72
45	238	UV+ -	70
46	277	SF	76
47	278	SF	76
48	287	i7	18
49	287	SF	71
50	287	UV+	69
51	288	i7	17
52	288	SF	71
53	289	i7	18
54	289	SF	71
55	289	UV+	69
56	292	IA	57
57	292	UV+	66
58	293	IA	57
59	293	UV+	66
60	303	PW	60
61	303	SF	72
62	303	UV+	69
63	305	SF	74
64	305	UV+	70
65	307	SF	74
66	307	UV+	70
67	308	UV+	163
68	310	UV+	363
69	401	i5	12
70	401	SK	21
71	401	UV+	24
72	402	i5	11
73	402	SK	21
74	402	UV+	24
75	403	i6	14
76	403	SK	21
77	403	UV+	24
78	404	i6	13
79	404	SK	21
80	404	UV+	24
81	405	i6	16
82	405	SK	22
83	405	UV+	24
84	406	i6	15
85	406	SK	22
86	406	UV+	24
87	407	i5	10
88	407	SK	20
89	407	UV+	23
90	408	i5	10
91	408	SK	20
92	408	UV+	23
93	409	i5	09
94	409	SK	20
95	409	UV+	23
96	410	i8	25
97	410	UV+	28
98	411	i8	26
99	411	UV+	28
100	412	i8	25
101	412	UV+	28
102	413	i8	26
103	413	UV+	28
104	414	R1	29
105	414	XT	30
106	415	R1	29
107	415	XT	30
108	449	BN HZ	40
109	449	FX	61
110	449	LH	53
111	449	LK	58
112	449	SF	74
113	449	UV+	66
114	449	VA	55
115	450	FX	61
116	450	HO HZ	54
117	450	SF	74
118	450	UV+	66
119	451	PM	57
120	451	SF	74
121	452	HO HZ	54
122	452	SF	74
123	452	UV+	66
124	453	SF	73
125	453	UV+	69
126	453	VA	55
127	455	SF	73
128	455	UV+	69
129	455	VA	55
130	458	i7	17
131	458	LK	58
132	458	SF	76
133	458	UV+	69
134	459	UV+	65
135	461	SF	76
136	463	SF	76
137	464	SF	H76
138	721	UV+	R65
139	722	UV+	65
140	801	SF	77
141	801	UV+	77
142	803	SF	77
143	803	UV+	77
144	805	SF	77
145	805	UV+	77
146	806	SF	77
147	806	UV+	78
148	809	UV+	78
149	820	UV+	78
150	821	UV+	78
151	823	UV+	78
152	826	UV+	78
153	829	UV+	34
154	829	XT	31
155	834	UV+	78
156	845	UV+	78
157	849	BN HZ	237
158	849	GR	236
159	849	IO	251
160	849	UV+	263
161	851	BN HZ	137
162	851	GR	136
163	851	IO	151
164	851	UV+	163
165	853	UV+	78
166	855	PM	57
167	858	SF	77
168	858	UV+	77
169	872	UV+	78
170	873	UV+	33
171	873	XT	32
172	884	UV	65
173	890	BN HZ	38
174	890	EQ HZ	42
175	890	GR	35
176	890	SF	64
177	890	UV+	64
178	891	BN HZ	38
179	891	EQ HZ	42
180	891	GR	35
181	891	SF	64
182	891	UV+	64
183	892	HO HZ	54
184	892	SF	75
185	893	SF	75
186	896	UV+	78
187	897	UV+	78
188	913	PW	60
189	914	PW	60
190	915	BO	50
191	915	CM	R59
192	915	EQ HZ	41
193	915	NV	56
194	915	UV+	68
195	916	CM	59
196	916	NV	56
197	920	BO	49
198	920	SF	75
199	920	UV+	68
200	957	BN HZ	39
201	957	BO	49
202	957	EQ HZ	41
203	957	GU	59
204	957	NV	56
205	957	SF	75
206	957	UV+	67
207	958	BN HZ	40
208	958	EQ HZ	41
209	958	LH	53
210	958	NV	56
211	958	SF	75
212	958	UV+	67
213	959	BO	49
214	959	SF	75
215	959	UV+	68
216	967	RK	52
217	967	SF	73
218	967	UV+	67
219	968	RK	52
220	968	SF	73
221	968	UV+	67
222	969	FX	62
223	969	LH	53
224	969	SF	73
225	969	UV+	67
226	970	X	62
227	970	GU	59
228	970	LH	53
229	970	SF	73
230	970	UV+	67
231	984	UV+	33
232	984	XT	32
233	985	UV+	34
234	985	XT	31
235	986	UV+	34
236	986	XT	31
237	987	UV+	34
238	987	XT	31
239	991	UV+	34
240	991	XT	31
241	992	UV+	33
242	992	XT	32
243	993	UV+	34
244	993	XT	31
245	994	UV+	33
246	994	XT	32
247	995	UV+	33
248	995	XT	32
249	996	UV+	33
250	996	XT	32
ALL CORE			
01	102D	ALC/UV+	77
02	110D	ALC/UV+	77
FOIL			
01	45001	FOIL	77
02	45003	FOIL	77

TECHNICAL SPECIFICATION

INTERNATIONAL PREMIUM LAMINATES
ELEGANCE

PROPERTIES	UNIT	SPECIFIED VALUES				IPL RESULTS	
		IS 2046:1995	BS EN 438	DIN EN 438	ISO 4586-1	VGS	HGS
Surface Wear Resistance	Revs.	350	350	350	350	350	700
Boiling Water Resistance							
• Thickness Increase	%	14 Max	14 Max	14 Max	14 Max	8	7
• Weight Increase	%	12 Max	12 Max	12 Max	12 Max	7	6
• Appearance	Grade	4	4	4	4	4	3
Dimension Stability							
• MD (Machine Direction)	L - %	0.625 Max	0.625 Max	0.625 Max	0.625 Max	0.45	0.35
• CD (Cross Direction)	T - %	1.10 Max	1.10 Max	1.10 Max	1.10 Max	0.65	0.55
Resistance to High Temperature & Cigarette Burns	Grade	3	3	3	3	4	5
Resistance To Steam	Grade	4	4	4	4	5	6
Resistance to Dry Heat							
• Gloss	Grade	3	3	3	3	4	5
• Other (at180°C)		4	4	4	4	5	6
Resistance to Cracking	Grade	4	4	4	4	5	6
Resistance to Scratching	Newton	2.0	2.0	2.0	2.0	2.5	3.5
Small Diameter Ball Resistance	Newton	20	20	20	20	25	28
Diameter Stability at 20°C	L - %	0.425 Max	0.425 Max	0.425 Max	0.425 Max	0.30	0.25
	T - %	0.675 Max	0.675 Max	0.675 Max	0.675 Max	0.45	0.35
Resistance to Staining	Grade						
• Acetone		5	5	5	5	5	6
• Coffee		5	5	5	5	5	6
• Sodium Hydroxide 25% Sol.		4	4	4	4	5	6
• Hydrogen Peroxide 30% Sol.							
• Shoe Polish		4	4	4	4	5	6
• Citric Acid 10% Sol.		4	4	4	4	5	6
Resistance to Color Change in Xenon Arc Light in Enclosed Carbon Arc Light	Grade	6 5	6 5	6 5	6 N / A	6 5	6

Grade : 5–Highest, 1–Lowest, VGS : Vertical Grade Standard, HGS : Horizontal Grade Standard

PRODUCT CARE AND MAINTENANCE

For cleaning the surface of the laminates, use dry cloth to wipe the stains. If needed can use ordinary liquid detergent (non-acidic) or ammoniated liquid. After taking a trial on small portion. Stain remover or industrial organic solvents can be used to remove stubborn stains in case if there is no problem. One should not use, wire or hard-plastic brushes, and abrasives to clean the surface.

Since, conventional laminates are made for interior decorations, should not be used for external use where there are chances for direct exposure to sunlight or any other sort of direct heat

It is always recommended to keep the substrate horizontal while pasting the laminates. Lammediate removal of pressure and vertical application should not be practiced.

Samples pasted in the folder represents the finish & design and not the actual thickness

PRODUCT TECHNICAL DATA & SPECIFICATIONS

Type : Conventional Laminates.
(Other Grades available on request)

Thickness : 1.00 MM (1.5mm And above available on request)
(± 10% as per ISI Standard)

Size : 1220 mm x 2440 mm (8'x4')

Product Standard : Comprising to
British European Standard :
BS EN 438
American NEMALD 3,
BIS (Bureau of Indian Standard) IS : 2046
BIS (Bureau of Indian Standard) IS : 2036 Grade
P1 Phenolic/Electronic Insulation.
ISO 4586.

PRODUCT WARRANTY

Company provides warranty that the product is free from any manufacturing defects and is suitable to use for normal and usual purpose. In case of any visual defects, the product should not be used, cut, or altered in any manner. Company's liability will be limited to the extent to cost of its product only.

The colour / shade may very from lot to lot. Do inspect properly before using the product. Company will not entertain any claim if the product is cut or altered in any manner for any visual or appearance, shade change / difference.

CEDAR DECOR PRIVATE LIMITED

A-1 / 1001, 10th Floor, Palladium, Corporate Rd, Makarba,
Ahmedabad - 380015, Gujarat
Ph.: +91 (79) 2970 5335 / 6 / 7 Fax : +91 (79) 2970 5338
Email : mail@cedarindia.com
www.cedarindia.com

ACTUAL THICKNESS

www.ipldecor.com

★ TRADE SAMPLE, NOT FOR SALE

Customer Services
+91 9879604881
WhatsApp

QC	

CDPL / IPL / EL / 09 / 2023