

From the house of



PROUD SHAREHOLDER OF



ELEGANCE

*Playground for Creativity*

[www.ipldecor.com](http://www.ipldecor.com)

ELEGANCE



TM

Ask For



From the house of



ELEGANCE

*Playground for Creativity*

[www.ipldecor.com](http://www.ipldecor.com)

From the house of



Ask For



As ISO 9001 : 2015, ISO 14001 : 2015 & FSC Certified Company

a.i.m. creativity  
Decor

AESTHETIC  
IS  
OUR  
ETHICS

From the house of



Ask For



As ISO 9001 : 2015, ISO 14001 : 2015 & FSC Certified Company





ELEGANCE

*Playground for Creativity*  
www.ipldecor.com

## About Us

"First Impression is the last impression." Inspired by this principal rule of the interior design industry, IPL started this state of the art facility for the manufacturing of Decorative High pressure Laminates. Decorative laminates are used to customize and beautify the surface of plywood and other base materials so as to suite the aesthetics and interiors of any given space.

We have also incorporated a 7-point Quality Control System to ensure that every single one of our laminate sheet goes through seven different quality control check points during its production period. Our consistent and strategic quality control system, all the way from raw material input level to finished goods level has accredited us with ISI 2046: 1995 certification. Our modern and E-governed management protocols has accredited us with the prestigious ISO 9001 : 2015 certifications. Our ability to minimize harmful effects on the environment and to achieve continual improvement of our environment performance has enabled us to get certified with ISO 14001 : 2015. Moreover, Laminates produced in our facility also meet the British European Standard BS EN 438 and the American NEMA LD3 standard.

Our facility has a state-of-art chemical plant, which manufactures resins in the production of laminates. Having a modern plant allows plant allows our R&D Team to experiment with innovative materials to produce quality resins that will that will stand the test of time

### NEW INTRODUCTION :

- |                       |                     |
|-----------------------|---------------------|
| 1) EQ HZ              | : ENGRAVED QUARTZ   |
| 2) LH                 | : LANE HICKORY      |
| 3) DX                 | : DECOR HEXAGON     |
| 4) EG EXTRA GLOSS++ ▲ | : METALLIC SOLIDS   |
| 5) UV+                | : NEW PASTEL SOLIDS |

From the house of



Ask For



CMIL 7730476



International Standards  
Certification



International Standards  
Certification



AN ISO 9001 : 2015 ISO 14001 : 2015 & PFC Certified Company

THIS ICON INDICATES  
PREMIUM COLLECTION

FOR FULL SHEET VIEW

SCAN



QR CODE





DIGITAL LAMINATES  
4x8 Feet

NEW

▲ PREMIUM



Preserving the very best of nature with the touch of grace and style making  
your décor vivaciously mesmerizing

**iPL** INTERNATIONAL  
PREMIUM  
LAMINATES  
**ELEGANCE**  
*Playground for Creativity*

994 SF TEAL  
NEW

858 SF  
SLATE GREY  
NEW

992 SF TERACOTTA  
NEW

991 SF  
AUTUMN  
NEW

NEW

▲ ID 72 W1 FOULARD

▲ ID 71 R1 PETRIFIED WOOD

NEW







METALLIC WOODS

NEW EG++ (EXTRA GLOSS++)

▲ PREMIUM



Crafted creatively with a tint of natural shades that makes uv++ a versatile range with variety of styles and designs which suites your choice.

▲ 153 EG++ SP  
METALLIC WHITE

▲ 152 EG++ SP  
METALLIC COPPER

▲ 157 EG++ SP GLORIOUS WALNUT

▲ 155 EG++ SP  
METALLIC GOLD

▲ 153 EG++ SP  
METALLIC WHITE

▲ 152 EG++ SP  
METALLIC COPPER

▲ 158 EG++ SP GOLDEN TEAK



METALLIC WOODS

NEW EG++ (EXTRA GLOSS++)

▲ PREMIUM



An exceptional design perfectly blended with style and texture that will deck up your interiors. HIGH GLOSS is for discerning admirers who are always searching for the best.

▲ 153 EG++ SP  
METALLIC WHITE

▲ 152 EG++ SP  
METALLIC COPPER

▲ 159 EG++ SP RUSSET WALNUT

▲ 155 EG++ SP  
CRYSTAL GOLD

▲ 153 EG++ SP  
METALLIC WHITE

▲ 151 EG++ SP  
METALLIC PURPLE

▲ 155 EG++ SP  
CRYSTAL GOLD

▲ 160 EG++ SP AUSTRALIAN PINE

NEW

NEW



ENGRAVED QUARTZ


NEW EQ HZ




When you want to bespoke your own décor, don't hesitate we have EQ HZ a range with all natural elements that will help you make your own dream space



890 EQ HZ PAINTED CONCRETE



891 EQ HZ ASPHALT CONCRETE




NEW

NEW



ENGRAVED QUARTZ

NEW EQ HZ



*Extending excellence spreading joy*

A refreshing new collection exclusively designed laminates that can inspire an artist in you. Giving a unique and refreshing look to your interior..



NEW

958 EQ HZ AMAZON WOOD




NEW

915 EQ HZ CANADIAN PEAR



NEW

957 EQ HZ TROPICAL WOOD





METALLIC

NEW EG++ (EXTRA GLOSS++)

▲PREMIUM



▲ 154 EG++ SP  
METALLIC GREY

NEW

NEW

▲ 152 EG++ SP  
METALLIC COPPER

NEW

▲ 153 EG++ SP  
METALLIC WHITE

A refreshing new collection of natural designs that bring exclusivity to your furniture. Elegance of SUPER GLOSS will open new realm of creative horizons.

▲ 151 EG++ SP  
METALLIC PURPLE

NEW

NEW

▲ 156 EG++ SP  
METALLIC RUST

NEW

▲ 155 EG++ SP  
METALLIC GOLD



# GABBRO ROCK

GR



This new majestic range is what you need for your modern looking space.  
Colour, texture and quality is absolute delight which will ultimately echo you  
persona



**890 GR** PAINTED CONCRETE



**891 GR** ASPHALT CONCRETE



**849 GR** GREEK SLATE 1



**851 GR** GREEK SLATE 2



LANE HICKORY


NEW LH




Timeless creations from wilderness that always stand test of time. To give a regal and charismatic look to your décor LANE HICKORY is a perfect assortment for you.



969 LH APPLE WOOD UK



970 LH APPLE WOOD USA





# LANE HICKORY

NEW

LH



With years of experience and research we are here with refined range LANE HICKORY that creates magnificence for one and all to adore, that will reflect your passion for perfection.




449 LH

958 LH



NEW

449 LH BARAKI WALNUT



NEW


958 LH AMAZON WOOD





# BARK NATURAL

## BN HZ



Mesmerizing design that gives refreshing look to your space BARK  
NATURALIS design that gives plethora of architectural options.



**891 BN HZ** ASPHALT CONCRETE



**890 BN HZ** PAINTED CONCRETE



**851 BN HZ** GREEK SLATE 2




**849 BN HZ** GREEK SLATE 1



# DECOR HEXAGON

NEW



Sparkling splendour which catches one's attention with its vivid texture and graphics. A unique texture that gives rich feel and finish to your surface.

**155 DX**  
METALLIC GOLD


**152 DX**  
METALLIC COPPER

**156 DX**  
METALLIC  
RUST

**153 DX**  
METALLIC  
WHITE

**151 DX**  
METALLIC PURPLE

**154 DX**  
METALLIC GREY






PASTEL SOLID



NEW

Extending excellence spreading joy

A refreshing new collection exclusively designed laminates that can inspire an artist in you. Giving a unique and refreshing look to your interior...



Ushering natural feel in every inch of your space that takes breath away at first sight. Having inspirational designs with highly durable quality.




996 SF  
RASPBERRY



995 SF  
CELESTO



992 SF  
TERACOTTA



993 SF  
MOSS GREEN



991 SF  
AUTUMN



994 SF  
TEAL



# SOLID


## UV+




Richness and simplicity blended to beautify your decor. SOLID a true regal finish which can give a royal touch to your interiors.




**801 UV+**  
SUPER WHITE




**803 UV+**  
FROSTY WHITE




**805 UV+**  
LIGHT GREY




**858 UV+**  
SLATE GREY



**896 UV+**  
YELLOW




**820 UV+**  
NAGPUR ORANGE




**821 UV+**  
BRIGHT RED



**823 UV+**  
BURGUNDY



**872 UV+**  
LIGHT GREEN



**809 UV+**  
ARCTIC BLUE



**834 UV+**  
LAVISH BLUE




**806 UV+**  
SUPER BLACK



**897 UV+**  
PURPLE



**845 UV+**  
BLACK CURRANT



**853 UV+**  
BUBBLE GUM PINK



**826 UV+**  
HOT PINK

*Let beauty be an  
eternal saga of your life*


A refreshing new  
collection exclusively  
designed laminates  
that can inspire an  
artist in you. Giving a  
unique and refreshing  
look to your interior...





# BARK NATURAL

BN HZ



957 BN HZ TROPICAL WOOD



449 BN HZ BARAKI WALNUT

BARK NATURAL will create waves of new styles and feel. Combination of stimulating sparkle and depth of wood which gives a natural finish.




958 BN HZ AMAZON WOOD



# HORIZONTAL OAK


HO HZ




Having a finish of rich old wooden tree blended with a touch of sophistication. That gives new path for dapper style and charting new trend.




892 HO HZ HICKORY WALNUT



452 HO HZ WACO WALNUT



450 HO HZ WHITBY WALNUT




236 HO HZ WALES WALNUT



# BUR OAK

BO



Spread Fantasy and charm to your interiors with our BUR OAK that gives the feel of refinement. All new range with style and texture that gives tantalising finish to furniture.



957 BO TROPICAL WOOD



958 BO AMAZON WOOD



915 BO CANADIAN PEAR



959 BO WHITE TYROL PINE




920 BO TYROL PINE



# I' LUMBER WOOD

IL



# LUCKUR WOOD

LK



300 IL



300 IL THAI CHESTNUT



458 LK TACNA TEAK



449 LK BARAKI WALNUT




236 LK WALES WALNUT



CANES MOZAMBIQUE

CM



Bringing freshness and zeal to your interiors with  
CANES MOZAMBIQUE. This unique concepts with flawless  
design and texture that gives real impression of grace to your décor.



236 CM WALES WALNUT



450 CM WHITBY WALNUT



915 CM CANADIAN PEAR



916 CM AMERICAN PEAR



ROCK KYANITE

RK



967 RK EUCALYPTUS WOOD



968 RK BRAZIL WOOD


VELVET ASH

VA




455 VA CAEN CHESTNUT

NEW



449 VA BARAKI WALNUT




453 VA CATANIA CHESTNUT




# WEBBED IVIES

WI



206 WI VATICAN WALNUT



803 WI FROSTY WHITE




455 WI CAEN CHESTNUT

# PALMS

PM



451 PM WALSALL WALNUT



855 PM ALABASTER




**iPL** INTERNATIONAL  
PREMIUM  
LAMINATES  
**ELEGANCE**  
*Professional for Creativity*

451 PM




# GROOVE ULTIMA


GU



GROOVE ULTIMA is kind of a texture and style that will blend with every interior to think of. Which can take rough with smooth this range is so versatile that it can mould itself to your requirements.



969 GU APPLE WOOD UK




970 GU APPLE WOOD USA



973 GU TIGER MAPPLE



971 GU CURLY MAPPLE




972 GU BURNT MAPPLE



I' INDITE WOOD

II



226 II SENEGAL SUCUPIRA



915 II CANADIAN PEAR



229 II SLOVENIA SUCUPIRA




916 II AMERICAN PEAR

SPRINGS

SG



451 SG WALSALL WALNUT



803 SG FROSTY WHITE

I' ART WORK

IA



292 IA CALVI CRAFTWOOD




293 IA CAMDEN CRAFTWOOD





# NATURAL VENEER

NV



With putting research and imagination at work we have come with  
NATURAL VENEER a premium piece of art at your doorstep That gives an  
exotic class and irresistible touch to your space.



Charismatic  
resemblance  
of  
*natural*  
elements.

Discover the whole new way of  
beautifying your interiors with  
shades that infuse harmony and life  
to spaces.



NEW

958 NV AMAZON WOOD



957 NV TROPICAL WOOD



916 NV AMERICAN PEAR




915 NV CANADIAN PEAR



# CHANNEL JET

CJ




967 CJ EUCALYPTUS WOOD



971 CJ CURLY MAPPLE



968 CJ BRAZIL WOOD




972 CJ BURNT MAPPLE

# I' ORNATE

IO



849 IO GREEK SLATE 2



851 IO GREEK SLATE 1



OLIVE ASH

OA



892 OA HICKORY WALNUT



893 OA WALNUT LUMBER



888 UO CLASSY ELM



889 UO MOCHA ELM


UNIQUE OAK

I' JIG WOOD

IJ



AUGMENTING  
*Grandeur*



272 IJ BURUNDI BUBINGA




273 IJ BRAZIL BUBINGA




PERSIAN WOOD

PW



303 PW BROWN IPE



301 PW EDESSA IPE



302 PW RHODES IPE

Fill your spaces with statuesque beauty and eternal elegance. Make them resplendent and royal.



GRATIFYING  
Glory



913 PW NATURAL OAK



914 PW RED OAK



# FRAXINUS

FX



The time has come to summon nature's fascinating units to the spaces and witness the transformation that is both magical & Mesmerising



969 FX APPLE WOOD UK



970 FX APPLE WOOD USA



236 FX WALES WALNUT



449 FX BARAKI WALNUT



**ENCHANTING**  
*Elements*



450 FX WHITBY WALNUT



# I' QUARTER CUT

IQ HZ



272 IQ HZ BURUNDI BUBINGA



273 IQ HZ BRAZIL BUBINGA




273 IQ HZ

# EBONY RADIANT

ER




303 ER BROWN IPE



301 ER EDESSA IPE



Available in myriad shades of browns, this layered Bark very subtly permeates into the décor and enhance their beauty.




302 ER RHODES IPE



# FANCY

UV+



*Alliance of art and  
elegance to revoke the radiance*

Sparkling splendour which catches one's attention with its vivid texture and graphics. A unique texture that gives rich feel and finish to your surface.




For the lifestyles molded on the urban setting, here is a collection that takes the contemporary charm a notch higher

**iPL** INTERNATIONAL  
PREMIUM  
LAMINATES  
**ELEGANCE**  
*Playground for Creativity*



**884 UV+** ALPHA WAVES



**884 SF** ALPHA WAVES



**722 UV+** WHITE FEATHER



**721 UV+** GREY FEATHER



STONE

UV+



Bring home the harmony of classic and contemporary with an evergreen choice. Effortlessly getting into every ambience, it accentuates the beauty of the décor.



308 UV+ ITALIAN MARBLE 1



849 UV+ GREEK SLATE 2



890 UV+ PAINTED CONCRETE



891 UV+ ASPHALT CONCRETE



310 UV+ ITALIAN MARBLE 3



851 UV+ GREEK SLATE 1



459 UV+ PHYLLITE SLATE




890 SF PAINTED CONCRETE



891 SF ASPHALT CONCRETE



WOODS UV+



Glaze is simply irresistible. In any form. Make the décor appealing and alluring with these shimmering shades



969 UV+ APPLE WOOD UK



970 UV+ APPLE WOOD USA



455 UV+ CAEN CHESTNUT



453 UV+ CATANIA CHESTNUT



967 UV+ EUCALYPTUS WOOD



968 UV+ BRAZIL WOOD



920 UV+ TYROL PINE



959 UV+ WHITE TYROL PINE



915 UV+ CANADIAN PEAR



916 UV+ AMERICAN PEAR




957 UV+ TROPICAL WOOD




958 UV+ AMAZON WOOD



WOODS UV+




Glaze is simply irresistible. In any form. Make the décor appealing and alluring with these shining shades.



287 UV+ WATERLOO WALNUT



449 UV+ BARAKI WALNUT



450 UV+ WHITBY WALNUT



289 UV+ WHARTHON WALNUT



458 UV+ TACNA TEAK



452 UV+ WACO WALNUT




238 UV+ MARSHAL MAHOGANY



237 UV+ MALI MAHOGANY



305 UV+ EPIRUS ASHCUT



307 UV+ ZADAR ASHCUT



300 UV+ THAI CHESTNUT



260 UV+ LITHUANIA WALNUT




WOODS UV+



Glaze is simply irresistible. In any form. Make the décor appealing and alluring with these shining shades.




971 UV+ CURLY MAPPLE



302 UV+ RHODES IPE



973 UV+ TIGER MAPPLE



301 UV+ EDESSA IPE



972 UV+ BURNT MAPPLE



303 UV+ BROWN IPE



888 UV+ CLASSY ELM




889 UV+ MOCHA ELM



293 UV+ CAMDEN CRAFTWOOD



292 UV+ CALVI CRAFTWOOD



236 UV+ WALES WALNUT




273 UV+ BRAZIL BUBINGA



WOODS SF

ORNAMENTAL  
Charm




A perfect balance of beauty and durability, Steel lends a fresh and innovative touch to décor.



920 SF TYROL PINE




For those who love to have the finest things in life, no more settlement with your style or taste. Here is a collection that amps up the beauty of the décor and makes them Adorable



959 SF WHITE TYROL PINE



957 SF TROPICAL WOOD



970 SF APPLE WOOD USA



958 SF AMAZON WOOD



969 SF APPLE WOOD UK



WOODS SF



A perfect balance of beauty and durability, Steel lends a fresh and innovative touch to decor.




973 SF TIGER MAPPLE



303 SF BROWN IPE



449 SF BARAKI WALNUT



450 SF WHITBY WALNUT



971 SF CURLY MAPPLE



301 SF EDESSA IPE




451 SF WALSALL WALNUT



452 SF WACO WALNUT



972 SF BURNT MAPPLE



302 SF RHODES IPE



967 SF EUCALYPTUS WOOD



968 SF BRAZIL WOOD



WOODS SF



A perfect balance of beauty and durability, Steel lends a fresh and innovative touch to decor.



287 SF WATERLOO WALNUT




258 SF CROATIA WALNUT



288 SF WASUM WALNUT



260 SF LITHUANIA WALNUT




289 SF WHARTHON WALNUT



236 SF WALES WALNUT



305 SF EPIRUS ASHCUT



307 SF ZADAR ASHCUT



892 SF HICKORY WALNUT



893 SF WALNUT LUMBER



455 SF CAEN CHESTNUT



453 SF CATANIA CHESTNUT



WOODS SF



A perfect balance of beauty and durability, Steel lends a fresh and innovative touch to decor.



272 SF BURUNDI BUBINGA



273 SF BRAZIL BUBINGA



207 SF VANUATU WALNUT



208 SF VIETNAM WALNUT



292 SF CALVI CRAFTWOOD



293 SF CAMDEN CRAFTWOOD



226 SF SENGAL SUCUPIRA



229 SF SLOVENIA SUCUPIRA



237 SF MALI MAHOGANY



238 SF MARSHAL MAHOGANY



458 SF TACNA TEAK



Sparkling splendour which catches one's attention with its vivid texture and graphics. A unique texture that gives rich feel and finish to your surface.



WOODS SF



280 SF COFFEE WENGE



277 SF NAYANA TEAK



278 SF NATURAL WENGE



463 SF BAGE BEECH



461 SF HIGHLAND PINE




464 SF BASEL BEECH


SOLIDS




801 SF  
SUPER WHITE




802 SF  
NATURAL WHITE




803 SF  
FROSTY WHITE




855 SF  
ALABASTER



852 SF  
IVORY




805 SF  
LIGHT GREY



858 SF  
SLATE GREY




806 SF  
SUPER BLACK




896 SF  
YELLOW




820 SF  
NAGPUR ORANGE




821 SF  
BRIGHT RED



823 SF  
BURGUNDY



834 SF  
LAVISH BLUE



853 SF  
BUBBLE GUM PINK

NEW

FOIL




45001 MT  
SILVER FOIL




45003 MT  
BRONZE FOIL

ALL CORE



102D ALC / UV+  
OFF WHITE



110D ALC / UV+  
SUPER WHITE

TITAN UV+



701 UV+  
WHITE BRUSHLINE




702 UV+  
BROWN BRUSHLINE



714 UV+  
PINK BRUSHLINE



720 UV+  
BERRY BRUSHLINE



ACTUAL  
THICKNESS



# INDEX

| SR. NO.              | DESIGN NO. | FINISH  | PAGE NO.    |
|----------------------|------------|---------|-------------|
| DIGITAL              |            |         |             |
| 1                    | ID71       | RI      | 2           |
| 2                    | ID72       | WI      | 1           |
| ▲ PREMIUM COLLECTION |            |         |             |
| 3                    | ▲ 151      | EG++ SP | 6 12        |
| 4                    | ▲ 152      | EG++ SP | 3 4 5 11    |
| 5                    | ▲ 153      | EG++ SP | 3 4 5 6 11  |
| 6                    | ▲ 155      | EG++ SP | 3 5 6 11 12 |
| 7                    | ▲ 156      | EG++ SP | 12          |
| 8                    | ▲ 157      | EG++ SP | 3           |
| 9                    | ▲ 158      | EG++ SP | 4           |
| 10                   | ▲ 159      | EG++ SP | 5           |
| 11                   | ▲ 160      | EG++ SP | 6           |
| CONVENTIONAL         |            |         |             |
| 12                   | 151        | DX      | 21          |
| 13                   | 152        | DX      | 21          |
| 14                   | 153        | DX      | 21          |
| 15                   | 154        | DX      | 21          |
| 16                   | 155        | DX      | 21          |
| 17                   | 156        | DX      | 21          |
| 18                   | 206        | WI      | 39          |
| 19                   | 207        | SF      | 74          |
| 20                   | 208        | SF      | 74          |
| 21                   | 226        | II      | 43          |
| 22                   | 226        | SF      | 74          |
| 23                   | 229        | II      | 43          |
| 24                   | 229        | SF      | 74          |
| 25                   | 236        | CM      | 35          |
| 26                   | 236        | FX      | 54          |
| 27                   | 236        | HO HZ   | 30          |
| 28                   | 236        | LK      | 34          |
| 29                   | 236        | SF      | 71          |
| 30                   | 236        | UV+     | 66          |
| 31                   | 237        | SF      | 73          |
| 32                   | 237        | UV+     | 64          |
| 33                   | 238        | SF      | 73          |
| 34                   | 238        | UV+     | 64          |
| 35                   | 258        | SF      | 71          |
| 36                   | 260        | SF      | 71          |
| 37                   | 260        | UV+     | 64          |
| 38                   | 272        | IJ      | 50          |
| 39                   | 272        | IQ HZ   | 55          |
| 40                   | 272        | SF      | 73          |
| 41                   | 273        | IJ      | 50          |
| 42                   | 273        | IQ HZ   | 55          |
| 43                   | 273        | SF      | 73          |
| 44                   | 273        | UV+     | 66          |
| 45                   | 277        | SF      | 75          |
| 46                   | 278        | SF      | 75          |
| 47                   | 280        | SF      | 75          |
| 48                   | 287        | SF      | 71          |
| 49                   | 287        | UV+     | 63          |
| 50                   | 288        | SF      | 71          |
| 51                   | 289        | SF      | 71          |
| 52                   | 289        | UV+     | 63          |
| 53                   | 292        | IA      | 44          |
| 54                   | 292        | SF      | 73          |
| 55                   | 292        | UV+     | 66          |
| 56                   | 293        | IA      | 44          |
| 57                   | 293        | SF      | 73          |
| 58                   | 293        | UV+     | 66          |
| 59                   | 300        | IL      | 33          |
| 60                   | 300        | UV+     | 64          |
| 61                   | 301        | ER      | 56          |
| 62                   | 301        | PW      | 51          |
| 63                   | 301        | SF      | 69          |
| 64                   | 301        | UV+     | 65          |
| 65                   | 302        | ER      | 56          |

| SR. NO. | DESIGN NO. | FINISH | PAGE NO. |
|---------|------------|--------|----------|
| 66      | 302        | PW     | 51       |
| 67      | 302        | SF     | 69       |
| 68      | 302        | UV+    | 65       |
| 69      | 303        | ER     | 56       |
| 70      | 303        | PW     | 51       |
| 71      | 303        | SF     | 69       |
| 72      | 303        | UV+    | 65       |
| 73      | 305        | SF     | 72       |
| 74      | 305        | UV+    | 64       |
| 75      | 307        | SF     | 72       |
| 76      | 307        | UV+    | 64       |
| 77      | 308        | UV+    | 59       |
| 78      | 310        | UV+    | 59       |
| 79      | 449        | BN HZ  | 27       |
| 80      | 449        | FX     | 54       |
| 81      | 449        | LH     | 18       |
| 82      | 449        | LK     | 34       |
| 83      | 449        | SF     | 70       |
| 84      | 449        | UV+    | 63       |
| 85      | 449        | VA     | 38       |
| 86      | 450        | CM     | 35       |
| 87      | 450        | FX     | 54       |
| 88      | 450        | HO HZ  | 29       |
| 89      | 450        | SF     | 70       |
| 90      | 450        | UV+    | 63       |
| 91      | 451        | PM     | 40       |
| 92      | 451        | SF     | 70       |
| 93      | 451        | SG     | 44       |
| 94      | 452        | HO HZ  | 30       |
| 95      | 452        | SF     | 70       |
| 96      | 452        | UV+    | 63       |
| 97      | 453        | SF     | 72       |
| 98      | 453        | UV+    | 62       |
| 99      | 453        | VA     | 38       |
| 100     | 455        | SF     | 72       |
| 101     | 455        | UV+    | 62       |
| 102     | 455        | VA     | 38       |
| 103     | 455        | WI     | 39       |
| 104     | 458        | LK     | 34       |
| 105     | 458        | SF     | 74       |
| 106     | 458        | UV+    | 63       |
| 107     | 459        | UV+    | 60       |
| 108     | 461        | SF     | 75       |
| 109     | 463        | SF     | 75       |
| 110     | 464        | SF     | 75       |
| 111     | 701        | UV+    | 76       |
| 112     | 702        | UV+    | 76       |
| 113     | 714        | UV+    | 76       |
| 114     | 720        | UV+    | 76       |
| 115     | 721        | UV+    | 58       |
| 116     | 722        | UV+    | 58       |
| 117     | 801        | SF     | 76       |
| 118     | 801        | UV+    | 25       |
| 119     | 802        | SF     | 76       |
| 120     | 803        | SF     | 76       |
| 121     | 803        | SG     | 44       |
| 122     | 803        | UV+    | 25       |
| 123     | 803        | WI     | 39       |
| 124     | 805        | SF     | 76       |
| 125     | 805        | UV+    | 25       |
| 126     | 806        | SF     | 76       |
| 127     | 806        | UV+    | 26       |
| 128     | 809        | UV+    | 25       |
| 129     | 820        | SF     | 76       |
| 130     | 820        | UV+    | 25       |
| 131     | 821        | SF     | 76       |
| 132     | 821        | UV+    | 25       |
| 133     | 823        | SF     | 76       |

| SR. NO. | DESIGN NO. | FINISH | PAGE NO. |
|---------|------------|--------|----------|
| 134     | 823        | UV+    | 25       |
| 135     | 826        | UV+    | 26       |
| 136     | 834        | SF     | 76       |
| 137     | 834        | UV+    | 25       |
| 138     | 845        | UV+    | 26       |
| 139     | 849        | BN HZ  | 20       |
| 140     | 849        | GR     | 14       |
| 141     | 849        | IO     | 48       |
| 142     | 849        | UV+    | 59       |
| 143     | 851        | BN HZ  | 20       |
| 144     | 851        | GR     | 14       |
| 145     | 851        | IO     | 48       |
| 146     | 851        | UV+    | 59       |
| 147     | 852        | SF     | 76       |
| 148     | 853        | SF     | 76       |
| 149     | 853        | UV+    | 26       |
| 150     | 855        | PM     | 40       |
| 151     | 855        | SF     | 76       |
| 152     | 858        | SF     | 76       |
| 153     | 858        | SF     | 1        |
| 154     | 858        | UV+    | 25       |
| 155     | 872        | UV+    | 25       |
| 156     | 884        | SF     | 58       |
| 157     | 884        | UV+    | 58       |
| 158     | 888        | UO     | 49       |
| 159     | 888        | UV+    | 66       |
| 160     | 889        | UO     | 49       |
| 161     | 889        | UV+    | 66       |
| 162     | 890        | BN HZ  | 19       |
| 163     | 890        | EQ HZ  | 7        |
| 164     | 890        | GR     | 13       |
| 165     | 890        | SF     | 60       |
| 166     | 890        | UV+    | 60       |
| 167     | 891        | BN HZ  | 19       |
| 168     | 891        | EQ HZ  | 8        |
| 169     | 891        | GR     | 13       |
| 170     | 891        | SF     | 60       |
| 171     | 891        | UV+    | 60       |
| 172     | 892        | HO HZ  | 29       |
| 173     | 892        | OA     | 49       |
| 174     | 892        | SF     | 72       |
| 175     | 893        | OA     | 49       |
| 176     | 893        | SF     | 72       |
| 177     | 896        | SF     | 76       |
| 178     | 896        | UV+    | 25       |
| 179     | 897        | UV+    | 26       |
| 180     | 913        | PW     | 52       |
| 181     | 914        | PW     | 52       |
| 182     | 915        | BO     | 31       |
| 183     | 915        | CM     | 36       |
| 184     | 915        | EQ HZ  | 9        |
| 185     | 915        | II     | 43       |
| 186     | 915        | NV     | 46       |
| 187     | 915        | UV+    | 61       |
| 188     | 916        | CM     | 36       |
| 189     | 916        | II     | 43       |
| 190     | 916        | NV     | 46       |
| 191     | 916        | UV+    | 61       |
| 192     | 920        | BO     | 32       |
| 193     | 920        | SF     | 67       |
| 194     | 920        | UV+    | 62       |
| 195     | 957        | BN HZ  | 27       |
| 196     | 957        | BO     | 31       |
| 197     | 957        | EQ HZ  | 10       |
| 198     | 957        | NV     | 45       |
| 199     | 957        | SF     | 68       |
| 200     | 957        | UV+    | 62       |
| 201     | 958        | BN HZ  | 28       |

| SR. NO.  | DESIGN NO. | FINISH    | PAGE NO. |
|----------|------------|-----------|----------|
| 202      | 958        | BO        | 31       |
| 203      | 958        | EQ HZ     | 9        |
| 204      | 958        | LH        | 18       |
| 205      | 958        | NV        | 45       |
| 206      | 958        | SF        | 68       |
| 207      | 958        | UV+       | 62       |
| 208      | 959        | BO        | 32       |
| 209      | 959        | SF        | 67       |
| 210      | 959        | UV+       | 62       |
| 211      | 967        | CJ        | 47       |
| 212      | 967        | RK        | 37       |
| 213      | 967        | SF        | 70       |
| 214      | 967        | UV+       | 61       |
| 215      | 968        | CJ        | 47       |
| 216      | 968        | RK        | 37       |
| 217      | 968        | SF        | 70       |
| 218      | 968        | UV+       | 61       |
| 219      | 969        | FX        | 53       |
| 220      | 969        | GU        | 41       |
| 221      | 969        | LH        | 15       |
| 222      | 969        | SF        | 68       |
| 223      | 969        | UV+       | 61       |
| 224      | 970        | FX        | 53       |
| 225      | 970        | GU        | 41       |
| 226      | 970        | LH        | 16       |
| 227      | 970        | SF        | 68       |
| 228      | 970        | UV+       | 61       |
| 229      | 971        | CJ        | 47       |
| 230      | 971        | GU        | 42       |
| 231      | 971        | SF        | 69       |
| 232      | 971        | UV+       | 65       |
| 233      | 972        | CJ        | 47       |
| 234      | 972        | GU        | 42       |
| 235      | 972        | SF        | 69       |
| 236      | 972        | UV+       | 65       |
| 237      | 973        | GU        | 42       |
| 238      | 973        | SF        | 69       |
| 239      | 973        | UV+       | 65       |
| 240      | 991        | SF        | 2 24     |
| 241      | 991        | UV+       | 24       |
| 242      | 992        | SF        | 2 24     |
| 243      | 992        | UV+       | 23       |
| 244      | 993        | SF        | 24       |
| 245      | 993        | UV+       | 24       |
| 246      | 994        | SF        | 1 24     |
| 247      | 994        | UV+       | 24       |
| 248      | 995        | SF        | 24       |
| 249      | 995        | UV+       | 23       |
| 250      | 996        | SF        | 24       |
| 251      | 996        | UV+       | 23       |
| ALL CORE |            |           |          |
| 252      | 102D       | ALC / UV+ | 76       |
| 253      | 110D       | ALC / UV+ | 76       |
| FOIL     |            |           |          |
| 254      | 45001      | MT        | 76       |
| 255      | 45003      | MT        | 76       |

▲ PREMIUM COLLECTION

# TECHNICAL SPECIFICATION



| PROPERTIES                                                                 | UNIT   | SPECIFIED VALUES |              |               |               | IPL RESULTS |      |
|----------------------------------------------------------------------------|--------|------------------|--------------|---------------|---------------|-------------|------|
|                                                                            |        | IS<br>2046:1995  | BS EN<br>438 | DIN EN<br>438 | ISO<br>4586-1 | VGS         | HGS  |
| Surface Wear Resistance                                                    | Revs.  | 350              | 350          | 350           | 350           | 350         | 700  |
| Boiling Water Resistance                                                   |        |                  |              |               |               |             |      |
| • Thickness Increase                                                       | %      | 14 Max           | 14 Max       | 14 Max        | 14 Max        | 8           | 7    |
| • Weight Increase                                                          | %      | 12 Max           | 12 Max       | 12 Max        | 12 Max        | 7           | 6    |
| • Appearance                                                               | Grade  | 4                | 4            | 4             | 4             | 4           | 3    |
| Dimension Stability                                                        |        |                  |              |               |               |             |      |
| • MD (Machine Direction)                                                   | L - %  | 0.625 Max        | 0.625 Max    | 0.625 Max     | 0.625 Max     | 0.45        | 0.35 |
| • CD (Cross Direction)                                                     | T - %  | 1.10 Max         | 1.10 Max     | 1.10 Max      | 1.10 Max      | 0.65        | 0.55 |
| Resistance to High Temperature & Cigarette Burns                           | Grade  | 3                | 3            | 3             | 3             | 4           | 5    |
| Resistance To Steam                                                        | Grade  | 4                | 4            | 4             | 4             | 5           | 6    |
| Resistance to Dry Heat                                                     |        |                  |              |               |               |             |      |
| • Gloss                                                                    | Grade  | 3                | 3            | 3             | 3             | 4           | 5    |
| • Other (at180°C)                                                          |        | 4                | 4            | 4             | 4             | 5           | 6    |
| Resistance to Cracking                                                     | Grade  | 4                | 4            | 4             | 4             | 5           | 6    |
| Resistance to Scratching                                                   | Newton | 2.0              | 2.0          | 2.0           | 2.0           | 2.5         | 3.5  |
| Small Diameter Ball Resistance                                             | Newton | 20               | 20           | 20            | 20            | 25          | 28   |
| Diameter Stability at 20°C                                                 |        |                  |              |               |               |             |      |
| L - %                                                                      |        | 0.425 Max        | 0.425 Max    | 0.425 Max     | 0.425 Max     | 0.30        | 0.25 |
| T - %                                                                      |        | 0.675 Max        | 0.675 Max    | 0.675 Max     | 0.675 Max     | 0.45        | 0.35 |
| Resistance to Staining                                                     | Grade  |                  |              |               |               |             |      |
| • Acetone                                                                  |        | 5                | 5            | 5             | 5             | 5           | 6    |
| • Coffee                                                                   |        | 5                | 5            | 5             | 5             | 5           | 6    |
| • Sodium Hydroxide 25% Sol.                                                |        | 4                | 4            | 4             | 4             | 5           | 6    |
| • Hydrogen Peroxide 30% Sol.                                               |        |                  |              |               |               |             |      |
| • Shoe Polish                                                              |        | 4                | 4            | 4             | 4             | 5           | 6    |
| • Citric Acid 10% Sol.                                                     |        | 4                | 4            | 4             | 4             | 5           | 6    |
| Resistance to Color Change in Xenon Arc Light in Enclosed Carbon Arc Light | Grade  | 6<br>5           | 6<br>5       | 6<br>5        | 6<br>N / A    | 6<br>5      | 6    |

Grade : 5-Highest, 1-Lowest, VGS : Vertical Grade Standard, HGS : Horizontal Grade Standard

## PRODUCT CARE AND MAINTENANCE

For cleaning the surface of the laminates, use dry cloth to wipe the stains. If needed can use ordinary liquid detergent (non-acidic) or ammoniated liquid. After taking a trial on small portion. Stain remover or industrial organic solvents can be used to remove stubborn stains in case if there is no problem. One should not use, wire or hard-plastic brushes, and abrasives to clean the surface.

Since, conventional laminates are made for interior decorations, should not be used for external use where there are chances for direct exposure to sunlight or any other sort of direct heat

It is always recommended to keep the substrate horizontal while pasting the laminates. Lammediate removal of pressure and vertical application should not be practiced.

Samples pasted in the folder represents the finish & design and not the actual thickness

## PRODUCT WARRANTY

Company provides warranty that the product is free from any manufacturing defects and is suitable to use for normal and usual purpose. In case of any visual defects, the product should not be used, cut, or altered in any manner. Company's liability will be limited to the extent to cost of its product only.


The colour / shade may very from lot to lot. Do inspect properly before using the product. Company will not entertain any claim if the product is cut or altered in any manner for any visual or appearance, shade change / difference.

## PRODUCT TECHNICAL DATA & SPECIFICATIONS

|                  |                                                                                                                                                                                                                                      |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type             | : Conventional Laminates.<br>(Other Grades available on request)                                                                                                                                                                     |
| Thickness        | : 1.00 MM (1.5mm And above available on request)<br>(± 10% as per ISI Standard)                                                                                                                                                      |
| Size             | : 1220 mm x 2440 mm (8'x4')                                                                                                                                                                                                          |
| Product Standard | : Comprising to<br>British European Standard :<br>BS EN 438<br>American NEMALD 3,<br>BIS (Bureau of Indian Standard) IS : 2046<br>BIS (Bureau of Indian Standard) IS : 2036 Grade<br>P1 Phenolic/Electronic Insulation.<br>ISO 4586. |

## CEDAR DECOR PRIVATE LIMITED

A-1 / 1001, 10th Floor, Palladium, Corporate Rd, Makarba,  
Ahmedabad - 380015, Gujarat  
Ph.: +91 (79) 2970 5335/6/7 Fax : +91 (79) 2970 5338  
Email : mail@cedarindia.com  
www.cedarindia.com



WhatsApp



www.ipldecor.com

QC

CDPL / IPL / EL / 2021

★ TRADE SAMPLE, NOT FOR SALE